

*Hierro  
Celina*

**FLEXIVOLT**  
CONDUCTORES ELECTRICOS



## CABLE TIPO TALLER

● (\*) = También color ○

SECCIÓN	ROLLOS	BOBINAS MEDIANAS	BOBINAS GRANDES
mm <sup>2</sup>	mts	mts	mts
2 X 0.5*	100	300	600
2 X 0.75*	100	200	500
2 X 1*	100	200	500
2 X 1.5*	100	150	350
2 X 2.5*	100	100	300
2 X 4	100	100	250
2 X 6	100	100	200
2 X 10	100	100	200
3 X 0.5*	100	200	500
3 X 0.75*	100	200	500
3 X 1*	100	200	500
3 X 1.5*	100	150	300
3 X 2.5*	100	100	250
3 X 4	100	100	200
3 X 6	100	----	200
3 X 10	100	----	200
4 X 0.75	100	----	----
4 X 1	100	150	300
4 X 1.5	100	100	300
4 X 2.5	100	100	200
4 X 4	100	----	150
4 X 6	100	----	----
4 X 10	100	----	----
5 X 1	100	100	300
5 X 1.5	100	100	200
5 X 2.5	100	----	----
5 X 4	100	----	----
7 X 1	100	----	250
7 X 1.5	100	----	200

## CABLE VAINA PLANA

COLORES ○ ROLLOS X 100MTS

SECCIÓN	BOBINAS MEDIANAS	BOBINAS GRANDES
mm <sup>2</sup>	mts	mts
2 X 1	200	500
2 X 1.5	200	400
2 X 2.5	200	300
2 X 4	100	300
3 X 1	200	400
3 X 1.5	150	350
3 X 2.5	100	250
3 X 4	---	---

## UNIFILAR

SECCIÓN	ROLLOS	BOBINAS
mm <sup>2</sup>	mts	mts
0.50	100	FRACCIONADOS A PEDIDO
0.75	100	
1	100	



## CABLE PARALELO

COLORES  ROLLOS X 100MTS

SECCIÓN	BOBINAS CHICAS	BOBINAS MED.
mm <sup>2</sup>	mts	mts
2 X 0.5	400	800
2 X 0.75	300	700
2 X 1	300	600
2 X 1.5	250	500
2 X 2.5	----	300

## CABLE PARALELO BICOLOR

COLORES  ROLLOS X 100MTS

SECCIÓN	BOBINAS CHICAS	BOBINAS MED.
mm <sup>2</sup>	mts	mts
2 X 0.5	300	500
2 X 0.75	300	500
2 X 1	200	400
2 X 1.5	200	300

## CABLE SUBTERRÁNEO

COLORES 

SECCIÓN	ROLLOS	BOBINAS
mm <sup>2</sup>	mts	mts
2 X 1.5	100	
2 X 2.5	100	
2 X 4	100	
2 X 6	100	
2 X 10	100	
2 X 16	100	
3 X 1.5	100	
3 X 2.5	100	
3 X 4	100	
3 X 6	100	
3 X 10	100	
4 X 1.5	100	
4 X 2.5	100	
4 X 4	100	
4 X 6	100	
4 X 10	100	
4 X 16	100	
5 X 1.5	100	
5 X 2.5	100	
5 X 4	100	
5 X 6	100	
5 X 10	100	
7 X 1.5	100	

FRACCIONADOS A PEDIDO

## CABLE PARALELO CRISTAL

COLORES  (cristal)

ROLLO X 100MTS

SECCIÓN	BOBINAS CHICAS	BOBINAS MED.
mm <sup>2</sup>	mts	mts
2 X 0.5	400	800
2 X 0.75	300	700
2 X 1	300	600
2 X 1.5	250	500
2 X 2.5	----	300